

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/625,215	(07/22/2003	Robert C. Fry	FRY 03-1-1	8365
23531	7590	12/21/2004		EXAMINER	
SUITER W 14301 FNB			hsieh, shih yung		
SUITE 220	1 1 11(1) 17 1	. •	ART UNIT	PAPER NUMBER	
OMAHA, N	NE 68154		2837		

DATE MAILED: 12/21/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		10/625,215	FRY ET AL.				
		Examiner	Art Unit				
		Shih-yung Hsieh	2837				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)	Responsive to communication(s) filed on						
2a) <u></u> □	This action is FINAL . 2b) ☐ This	action is non-final.					
3)⊠	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
5)⊠ 6)□ 7)⊠	4) Claim(s) 1-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) 16 is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) 1-15 is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
Applicati	on Papers						
 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on 22 July 2003 is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 							
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
2) D Notice 3) D Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08)						
Paper No(s)/Mail Date 6) Other:							

1. This application is in condition for allowance except for the following formal matters:

Please see below.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

2. The drawings are objected to because 7b in Fig 15A is described as 7a on page 83, line 5. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will

Art Unit: 2837

be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

3. Claims 1-15 are objected to because of the following informalities:

Claim 1, page 116, "preferably" (line 8) and "may be" (line 15) are indefinite.

Claim 3, page 117, "may be" (line 11) is indefinite.

Claim 10, page 126, "may be" (line 17) is indefinite.

Claim 11, page 126, line 1, claim "eight" should be claim 8 to be consistent with the rest of the dependent claims.

Claim 11, page 127, "may be" (line 20) is indefinite.

Appropriate correction is required.

- 4. The claims would be allowable upon the submission of an amendment for the corrections.
- 5. The claims are allowable over the prior art for at least the reason that the prior art fails to reasonably teach or suggest in claim 1 that the second encountered section has a bore of at least 0.495 inch and include at least two sub-sections of air path in which a second encountered of the at least two sub-sections has a bore at least 0.007 inch larger than a first encountered of the at least two sub-sections of air path, and in which the bore of the tubular main air path does not exceed 0.85. inch within the first 65% of the total primary air path length, and in claims 11 and 16 that the internal air passages

Art Unit: 2837

of the at least four valves exhibit bores at least 0,490 inch, and in which bores of the first encountered approximately 65 percent of the total primary B-flat air path do not exceed 0.850 inch in the diameter as set forth in the claimed combination.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shih-yung Hsieh whose telephone number is 571-272-2065. The examiner can normally be reached on 7:00-3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin can be reached on 571-272-2107. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

syh

PRIMARY EXAMINER